Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 11, June 17, 2010

Crop Report for the Period June 8 to 14, 2010

Saskatchewan farmers have seeded 73 per cent of the 2010 crop, according to Saskatchewan Agriculture's weekly Crop Report.

The majority of producers in the province has struggled to get the 2010 crop in the ground due to rain. Excess moisture and flooding in many areas have left fields unable to support equipment. More rain is forecast for the end of the week, which will reduce the chances of seeding progressing any further.

Seeding is 90 per cent complete in northwestern Saskatchewan; 88 per cent complete in southwestern Saskatchewan; 87 per cent complete in west-central Saskatchewan; 75 per cent complete in southeastern Saskatchewan; 56 per cent complete in east-central Saskatchewan, and 50 per cent complete in the northeast. Within regions, seeding progress is even more variable, with some crop districts reporting 99 per cent of seeding is complete while other districts have only 31 per cent of the crop seeded.

Across the province, cropland topsoil moisture remains virtually unchanged from last week at 55 per cent surplus and 45 per cent adequate. Topsoil moisture on hay land and pasture is rated as 33 per cent surplus and 67 per cent adequate.

Fifty-nine per cent of the province's fall-seeded cereals are at a normal stage of development, but 77 per cent of the spring-seeded cereals, 78 per cent of the oilseeds and 67 per cent of the pulses are behind normal in development.

Seventy-five per cent of the winter wheat is in good to excellent condition. Forty-nine per cent of the spring wheat, 62 per cent of the durum, 45 per cent of the oats, 46 per cent of the barley, 37 per cent of the flax, 38 per cent of the canola, 59 per cent of the mustard, 60 per cent of the lentils, 61 per cent of the peas, 41 per cent of the canaryseed and 58 per cent of the chickpeas are in good to excellent condition.

Crops are showing signs of stress from excess moisture. Crop damage is attributed mostly to flooding. Flea beetle and cutworm damage has been reported, along with leaf diseases and root rots.

Saskatchewan Crop Insurance Corporation Report – June 17

Crop Insurance customers should note the following important dates:

- The deadline to submit establishment benefit claims and gopher damage claims (excluding greenfeed) is June 20.
- Seeded Acreage Reports and Stored Grain Declarations must be submitted by June 25.
- If Crop Insurance customers are still unable to seed as of June 20, they can access the Unseeded Acreage benefit. The deadline to submit Unseeded Acreage claims is June 25.
- The deadline to seed greenfeed crops covered by forage insurance is June 30, with all establishment and gopher damage claims on greenfeed to be submitted by this date.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA – SASKATCHEWAN
Crop Insurance

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

The region has approximately 75 per cent of the 2010 crop in the ground, although that varies from 43 to 100 per cent seeded, depending on the crop district. The region received an average of 15 mm of moisture. The rain stopped on the weekend, allowing some farmers to get into their fields on Sunday and Monday. The Whitewood area received 28 mm, the Gainsborough area 17 mm, the Pangman area 14 mm, the Indian Head and Marquis areas 25 mm, the Radville area 11 mm and the Weyburn area 7 mm. So far this year, the region has received between 283 mm to 105 mm of rain.

SE region Crop District	% seeded (June 14/10)	% seeded (June 7/10)
1A	88	87
1B	68	68
2A	71	65
2B	74	68
3ASE	72	70

SE SK Crop Development – June 14, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	4	78	18
Spring Cereals	1	32	67
Oilseeds	1	29	70
Pulse Crops	1	36	63

Topsoil moisture conditions on cropland are reported as 56 per cent surplus and 44 per cent adequate. Crop districts 1B and 2B are reporting 68 per cent of the cropland has surplus topsoil moisture. On hay land and pasture, topsoil moisture is rated as 34 per cent surplus and 66 per cent adequate.

Crop damage is mostly attributed to flooding. Flea beetle damage was reported in the Stoughton and Indian Head areas.

Warm and sunny weather is needed as crops in some areas are showing signs of moisture stress and weeds are becoming an issue. There will be some crop acres lost to flooding. Crop development is variable as some producers started early while others are still trying to put some crop in the ground. Producers are trying to control weeds and roll pulses when the weather and the mud co-operate. Some farmers planning to seed green-feed. Hay and pasture continue to look good.

Southeast SK Crop conditions- June 14, 2010							
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Flax
% excellent	24	39	5	7	5	4	6
% good	59	39	42	30	40	39	26
% fair	16	22	40	47	42	43	48
% poor	0	0	11	14	12	12	18
% very poor	0	0	0	2	1	2	2
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	6	3	12	6	2	0	
% good	28	40	32	21	26	22	
% fair	51	40	46	58	60	78	
% poor	15	16	8	12	10	0	
% very poor	0	0	2	3	2	0	

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Eighty-eight per cent of the crop is in the ground, although that varies from 38 to 100 per cent seeded, depending on the crop district. An average if 25 mm of rain fell on the region, with the southern and eastern RMs receiving the most. The Lisieux area received 58 mm, the Chaplin area 50 mm, the Shaunavon area 27 mm, the Tyner area 59 mm, the Gull Lake area 16 mm, the Cabri area 34 mm, the Richmound area 2 mm and the Fox Valley area 4 mm. So far this year, the region has received between 118 and 296 mm of rain.

SW Region Crop District	% seeded (June 14/10)	% seeded (June 7/10)
3ASW	72	66
3AN	75	67
3BS	90	89
3BN	95	91
4A	95	89
4B	99	94

SW SK Crop Development – June 14, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	0	55	45
Spring Cereals	0	20	80
Oilseeds	1	21	78
Pulse Crops	0	31	69

Cropland topsoil moisture is rated as 30 per cent surplus and 70 per cent adequate. Hay land and pasture topsoil moisture conditions are 12 per cent surplus and 88 per cent adequate. Crop District 3AN is reporting 83 per cent of the cropland has surplus topsoil moisture.

Crops have been damaged by flooding. Cutworms and wireworms are causing damage in the Webb area. Pea leaf weevils are causing crop damage in the Gull Lake area. Gophers are also causing crop damage.

Sun and heat are needed to relieve the seeded crops of excess moisture stress. In some areas, crops are looking good and emergence is even. Neighbours are helping neighbours put the crop in the ground. Many farmers were able to get back into the field early this week. With the rain forecast for this week, some crop reporters are saying that seeding is over for this year due to wet fields and the late date. Producers are controlling weeds and rolling pulses when they can access their fields. Some farmers who had started seeding on April 20 are still trying to finish. Crop staging is variable across the region.

Southwest SK Crop Conditions- June 14, 2010							
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	37	33	14	14	18	17	7
% good	47	58	60	59	65	57	84
% fair	16	9	19	19	17	19	9
% poor	0	0	7	8	0	7	0
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea
% excellent	9	14	28	16	15	4	8
% good	67	46	48	58	53	50	53
% fair	20	29	21	20	26	34	33
% poor	4	8	2	6	6	12	6
% very poor	0	2	0	0	0	0	0

East-Central Saskatchewan (Crop Districts 5 and 6a)

Farmers in the region have 56 per cent of the crop in the ground, although that varies from six to 98 per cent seeded, depending on the crop district. Heavy rain throughout the week kept farmers from accessing their land with equipment. The region received an average of 37 mm of rain. Producers continue to struggle with saturated soil and continuous rain. The Stockholm area received the least amount of rain this week: 11 mm. The Goodeve area received 63 mm, the Rama area 84 mm and the Craik and Jansen areas 48 mm. Since April 1, the region has received between 141 mm and 364 mm of rain.

EC Region Crop District	% seeded (June 14/10)	% seeded (June 7/10)
5A	59	58
5B	31	29
6A	75	65

EC SK Crop Development – June 14, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	0	59	41
Spring Cereals	0	14	86
Oilseeds	0	15	85
Pulse Crops	0	26	74

Topsoil moisture on cropland is reported as 81 per cent surplus and 19 per cent adequate. Hay land and pasture topsoil moisture is rated as 54 per cent surplus and 46 per cent adequate.

Flooding caused the majority of crop damage. Cutworm damage is showing up in the Churchbridge area. Flea beetles are causing damage in the Foam Lake area. Leaf diseases are starting to show up.

It is anticipated that crops will be lost to flooding as the water has nowhere to go since the soil is waterlogged and creeks are full or overflowing. Crops are showing stress from excess moisture and lack of nutrients. The sunshine on Sunday and Monday provided some relief. A few farmers tried seeding canola by plane, but now cannot get into the fields to harrow the seed in. Many producers have given up on seeding. Several days are needed before producers can even access many fields, and by then it will be too late for seeding. Weeds are being controlled by aerial spraying for the most part as fields cannot support the ground sprayers. Many RMs have proclaimed agricultural disasters. Hay fields and pastures were doing well, but are also flooded in areas.

East-central SK Crop Conditions- June 14, 2010						
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley
% excellent	8	0	4	0	2	1
% good	57	70	29	53	36	35
% fair	32	22	42	42	46	35
% poor	3	7	22	4	14	22
% very poor	0	0	3	1	2	6
	Flax	Canola	Mustard	Pea	Lentil	Canaryseed
% excellent	0	3	0	4	6	0
% good	39	30	46	47	58	28
% fair	35	34	45	33	23	44
% poor	25	30	9	16	13	28
% very poor	0	3	0	0	0	0

West-Central Saskatchewan (Crop Districts 6B and 7)

Eighty-seven per cent of the region's crops have been seeded, although that varies from 55 to 100 per cent complete, depending on the crop district. Rain rolled through the region last week, resulting in little seeding progress being made. An average of 27 mm of rain fell on the region. The Dinsmore area received 63 mm, the Rosetown area 44 mm, the Biggar and Sonningdale areas 30 mm. The Netherhill area recorded the least amount of precipitation: 6 mm. Since April 1, the region has received between 109 mm and 319 mm of rain.

WC Region Crop District	% seeded (June 14/10)	% seeded (June 7/10)
6B	75	73
7A	90	87
7B	96	94

WC SK Crop Development – June 14, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	1	54	45
Spring Cereals	0	19	81
Oilseeds	0	17	83
Pulse Crops	0	33	67

Cropland topsoil moisture is rated as 37 per cent surplus and 63 per cent adequate. Pasture and hay land topsoil moisture conditions are rated as 33 per cent surplus and 67 per cent adequate.

The majority of crop damage is due to flooding. Cutworms and flea beetles are also causing crop damage, as is the disease, tan spot.

Some farmers were back in the fields at the beginning of the week, but mid-week rain showers slowed them down again. Weed control is an issue as some fields are very wet and some crops are getting past the weed control stage. Oats and barley are still being seeded, when possible. In some areas, crops are behind normal in development, but look to be in good condition. Farmers are controlling weeds. Crops have progressed well under the few days of warm, sunny weather. Many crop reporters are predicting that seeding will end for the year if the weather forecast for this week is correct. Hay land and pasture is looking very good.

West-central SK Crop Conditions- June 14, 2010							
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Flax
% excellent	10	8	10	23	8	10	11
% good	72	71	56	48	54	59	56
% fair	18	21	24	26	32	26	24
% poor	0	0	10	3	6	5	9
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	8	16	14	18	19	27	
% good	59	58	62	62	58	30	
% fair	25	24	20	19	23	43	
% poor	8	2	4	1	0	0	
% very poor	0	0	0	0	0	0	

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

The northeastern region has 50 per cent of the 2010 crop in the ground, although that varies from 20 to 85 per cent seeded, depending on the crop district. Rain falling on already-saturated fields resulted in very little seeding progress being made. Crop losses are occurring due to flooding and waterlogged soil. The region received an average of 23 mm of rain. The Porcupine Plain area received 36 mm, the Humboldt area 57 mm and the Arborfield area 27 mm. Since April 1, the region has received from 162 mm to over 332 mm of rain.

NE Region Crop District	% seeded (June 14/10)	% seeded (June 7/10)
8A	53	53
8B	49	49
9AE	44	43

NE SK Crop Development – June 14, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	0	31	69
Spring Cereals	0	16	84
Oilseeds	0	12	88
Pulse Crops	0	20	80

Cropland topsoil moisture is rated as 98 per cent surplus and two per cent adequate. Hay land and pasture topsoil moisture is rated as 90 per cent surplus and 10 per cent adequate.

Crop damage is due to flooding. Cutworms, leaf diseases and root rots are also causing crop damage.

Many crop reporters are indicating seeding is over for 2010. Some crops are emerging very patchily due to the seed rotting in the ground. Depending on the area, crop conditions and development are variable due to the extended and wet seeding season. Crops are showing signs of moisture stress. There are reports of cutworms appearing in some canola fields, but the producers cannot get onto the land to control them. The sunny weather on the weekend allowed some farmers to get into the field, although mudding it in was their only option. Last fall was wet and harvest was very late, which has contributed even further to the saturated fields and late seeding in the area.

Northeast SK Crop Conditions- June 14, 2010					
	Winter Wheat	Fall Rye	Spring Wheat	Oat	Barley
% excellent	3	41	1	1	0
% good	23	32	22	9	16
% fair	16	22	45	58	34
% poor	56	2	27	26	39
% very poor	2	2	5	6	10
	Flax	Canola	Pea	Lentil	
% excellent	0	1	2	0	
% good	7	15	24	21	
% fair	54	46	29	21	
% poor	30	33	24	31	
% very poor	9	5	21	27	

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Seeding is 90 per cent complete in the region, although that varies from 51 to 99 per cent complete, depending on the crop district. The region received an average of 10 mm of rain. The Spiritwood area received 22 mm, the North Battleford area 28 mm, the Turtleford, Glaslyn and Hafford areas all recorded 18 mm. The Debden, Meadow Lake and Rapid View areas received no rain. Since April 1, the region has received between 143 mm to 263 mm of rain.

NW Region Crop District	% seeded (June 14/10)	% seeded (June 7/10)
9AW	95	91
9B	86	85

NW SK Crop Development – June 14, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	0	27	73
Spring Cereals	1	47	52
Oilseeds	1	44	55
Pulse Crops	2	59	39

Topsoil moisture conditions for cropland are 11 per cent surplus and 89 per cent adequate. Pasture and hay land conditions are four per cent surplus, 95 per cent adequate and one per cent short.

The majority of crop damage was caused by flooding. Cutworm damage was reported in the Turtleford area.

Crops are emerging and looking good for the most part, but are behind in development. Some low-lying acres have been lost to standing water. Farmers are controlling weeds and seeding oats and barley. Heat and sun would be appreciated to get things going. Some crops in the heavy rainfall areas are yellowing due to stress from excess moisture. Pastures and hay land look good.

Northwest SK Crop Conditions-June 14, 2010					
	Winter Wheat	Fall Rye	Spring Wheat	Oat	Barley
% excellent	0	0	11	6	17
% good	100	85	50	58	51
% fair	0	15	34	28	25
% poor	0	0	4	7	6
% very poor	0	0	1	1	1
	Flax	Canola	Mustard	Pea	Lentil
% excellent	0	11	N/A	11	N/A
% good	0	49	N/A	47	N/A
% fair	100	36	N/A	36	N/A
% poor	0	2	N/A	3	N/A
% very poor	0	1	N/A	23	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period June 8 to 14, 2010

Crop Dist.	R.M. No.	Past Name	Week	Since 1-Apr
1A	1	Argyle	17.0	205.0
	2	Mount Pleasant	N/A	116.0
	3	Enniskillen	11.0	137.0
	33 A	Moose Creek	N/A	39
	33 B	Moose Creek	N/A	148
	34	Browning	N/A	171
	61	Antler	N/A	186
	63	Moose Mountain	7.0	157.0
	64	Brock	7.0	169.0
	65	Tecumseh	10.0	199.0
1B	91	Maryfield	15.0	188.0
	92	Walpole	N/A	149
	93	Wawken	9	182.0
	95	Golden West	30	199.0
	122	Martin	25	283.0
	123 A	Silverwood	11	152.0
	123 B	Silverwood	N/A	N/A
	124	Kingsley	11	147
	125	Chester	17.5	169
	151 A	Rocanville	23	205
	151 B	Rocanville	15	238
	153	Willowdale	28	208
	154	Elcapo	14	215
	155	Wolseley	22	233
2A	66	Griffin	11	222
	67	Weyburn	3	182
	68	Brokenshell	4	177
	69	Norton	14	254
	96	Fillmore	13	161
	97	Wellington	8	122
2B	127 A	Francis	21.5	176
	127 B	Francis	20	106
	129	Bratt's Lake	6.5	130
	156 A	Indian Head	25.5	201
	156 B	Indian Head	22	183
	157	South Qu'appelle	N/A	NIL
	160	Pense	N/A	157
	161	Moose Jaw	N/A	191
	191	Marquis	25	201
3ASE	38 A	Launer	11	196
	38 B	Launer	7	179
	39 A	The Gap	10	193
	39 B	The Gap	N/A	247
3ASW	10	Happy Valley	40	293
	11	Hart Butte	N/A	NIL
	12	Poplar Valley	32	198
	40	Bengough	52	237
	42	Willow Bunch	58	267
	43	Old Post	41	188
	44	Waverley	N/A	189
	70	Key West	N/A	174
	71 A	Excel	N/A	192
	71 B	Excel	N/A	164
	73 A	Stonehenge	38.56	236
	73 B	Stonehenge	34	296
	74	Wood River	21	157
3AN	101	Terrell	30	253
	102	Lake Johnston	N/A	136
	103	Sutton	19	205
	134	Shamrock	33	237
	164	Chaplin	50	208
	193	Eyebrow	43	221
	194	Enfield	46	241
3BS	17	Val Marie	13	168
	45	Mankota	13	182
	75 A	Pinto Creek	25	170
	75 B	Pinto Creek	27	198
	76 A	Auvergne	21	151
	76 B	Auvergne	19	135
	77	Wise Creek	4	147
	78 A	Grassy Creek	27	192
	78 B	Grassy Creek	4	169
	78 C	Grassy Creek	5	202
	105	Glenbain	21	164
	106	Whiska Creek	17	118
	107	Lac Pelletier	N/A	128
	108	Bone Creek	20	182
3BN	138	Webb	26.5	195
	165	Morse	N/A	NIL
	166	Excelsior	N/A	236
	167	Sask. Landing	51.6	219
	168	Riverside	25	200
	226	Victory	48	238
	228	Lacadena	59.5	188
	255	Coteau	N/A	NIL
	257	Monet	27	169

Crop Dist.	R.M. No.	Past Name	Week	Since 1-Apr
4A	49	White Valley	5	178
	49 A	White Valley	3	140
	51	Reno	N/A	132
	79	Arlington	5	160
	109	Carmichael	16	203
	110	Piapot	6	181
	111	Maple Creek	N/A	201
4B	139	Gull Lake	11	191
	141	Big Stick	11	225
	142	Enterprise	2	234
	169	Pittville	N/A	186
	171	Fox Valley	4	168
	229	Miry Creek	34	234
	231	Happyland	N/A	98
5A	181	Langenberg	30	200
	183	Fertile Belt	11	186
	185	Mcleod	N/A	143
	186	Abernethy	N/A	157
	211	Churchbridge	28	227
	213	Saltcoats	30	214
	216	Tullymet	N/A	147
	241	Calder	29	205
	243	Wallace	20	211
	245 A	Garry	55	280
	245 B	Garry	63	292
	246	Ituna Bon Accord	14	176
	247	Kellross	25	225
	248	Touchwood	19	141
5B	271	Cote	29	199
	275	Insinger	N/A	NIL
	276	Foam Lake	N/A	262
	277	Emerald	58	303
	278	Kutawa	N/A	NIL
	305	Invermay	84	327
	307	Elfros	71	364
	308	Big Quill	54	241
	333	Clayton	N/A	133
	335	Hazel Dell	42.5	233
	336	Sasman	38	269
	337	Lakeview	46	272
	338	Lakeside	52	274
	366	Kelvington	38	213
6A	190 A	Dufferin	19	149
	190 B	Dufferin	29	212
	190 C	Dufferin	13	158
	190 D	Dufferin	N/A	238
	219 A	Longlaketon	17	158
	219 B	Longlaketon	19	173
	220	Mckillop	14	181
	221	Sarnia	38	220
	222	Craik	48	240
	251	Big Arm	41	242
	252	Arm River	42	211
	279	Mount Hope	39	238
	280	Wreford	35	253
	282	McCraney	N/A	244
	309	Prairie Rose	48	293
	313	Lost River	23	217
	339	Leroy	34.8	293
	340	Wolverine	35	295
	341	Viscount	N/A	213
	343	Blucher	26	255
6B	253	Wilner	N/A	172
	283	Rosedale	17	280
	284	Rudy	41	309
	285	Fertile Valley	36	245
	286	Milden	63	243
	314	Dundurn	N/A	209
	344	Corman Park	35	241
	346	Perdue	N/A	258
7A	376 A	Eagle Creek	46	319
	376 B	Eagle Creek	30	260
	260	Newcombe	19	130
	260 B	Newcombe	13	65
	287	St. Andrews	44	177
	288	Pleasant Valley	N/A	153
	290 A	Kindersley	6	109
	290 B	Kindersley	N/A	129
	292	Milton	32	137
	317 A	Marriott	26	231
	317 B	Marriott	40	252
	318 A	Mountain View	16	173
	318 B	Mountain View	18	232
	320	Oakdale	10	164
	321	Prairiedale	21	174

Crop Dist.	R.M. No.	Past Name	Week	Since 1-Apr
7B	347 A	Biggar	20	208
	347 B	Biggar	30	204
	350 A	Manposa	17	153
	350 B	Manposa	11	154
	351	Progress	24	209
	352	Heart's Hill	N/A	182
	377	Glenside	30	290
	378 A	Rosemount	N/A	157
	378 B	Rosemount	19	236
	379	Reford	N/A	191
	380	Tramping Lake	25	179
	381	Grass Lake	N/A	203
	382	Eye Hill	31	206
	409	Buffalo	23	280
	410	Round Valley	23	194
	411	Senlac	N/A	186
8A	395	Porcupine	36	213
	397	Barrier Valley	30	248
	428	Star City	23	202
	456	Arborfield	27	162
	457	Connaught	16	256
	458	Willow Creek	11	210
	486	Moose Range	3	173
8B	369	St. Peter	28	258
	370	Humboldt	57	332
	371	Bayne	N/A	241
	372	Grant	37	259
	402	Fish Creek	24	221
	429 A	Flett's Springs	N/A	125
	429 B	Flett's Springs	11	192
	430	Invergordon	N/A	43
	459	Kinistino	11	246
9AE	461	Prince Albert	2.5	263
	488	Torch River	N/A	278
	520	Paddockwood	N/A	67
9AW	406	Mayfield	N/A	174
	435	Redberry	18	259
	436	Douglas	10	153
	463	Duck Lake	N/A	190
	464	Leask	17	265
	467	Round Hill	N/A	NIL
	494	Canwood	NIL	229
	496	Spiritwood	22	263
	497	Medstead	N/A	159
9B	438	Battle River	28	242
	440	Hillsdale	N/A	192
	442	Manitou Lake	11	194
	498 A	Parkdale	18	226
	498 B	Parkdale	N/A	113
	499	Mervin	18	174
	501 A	Frenchman Butte	5	142
	501 B	Frenchman Butte	12	188
	501 C	Frenchman Butte	3	188
	502	Britannia	9	198
	561	Loon Lake	N/A	185
	588 A	Meadow Lake	NIL	209
	588 B	Meadow Lake	NIL	209
	588 C	Meadow Lake	1	225
	588 D	Meadow Lake	N/A	182
	622	Beaver River	N/A	221

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Weekly Rainfall

for the week ending June 14, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 16, 2010

Cumulative Rainfall

From: April 1, 2010
To: June 14, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 16, 2010

Weekly Rainfall

for the week ending June 14, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13, Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 16, 2010

Cumulative Rainfall

From: April 1, 2010

To: June 14, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

0 25 50 100 150 200

Kilometers

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 16, 2010

Cropland Topsoil Moisture Conditions

June 15, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 16, 2010

Hay and Pasture Topsoil Moisture Conditions

June 15, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 16, 2010

Cropland Topsoil Moisture Conditions

June 15, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

0 25 50 100 150 200

Kilometers

N W E

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 16, 2010

Hay and Pasture Topsoil Moisture Conditions

June 15, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

0 25 50 100 150 200

Kilometers

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 16, 2010